

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
21 February 2002 (21.02.2002)

PCT

(10) International Publication Number
WO 02/13631 A1

(51) International Patent Classification⁷: **A23L 1/237**,
A23P 1/02, 1/06, 1/12

(21) International Application Number: **PCT/EP01/07690**

(22) International Filing Date: **4 July 2001 (04.07.2001)**

(25) Filing Language: **English**

(26) Publication Language: **English**

(30) Priority Data:
751/MUM/00 **14 August 2000 (14.08.2000)** **IN**

(71) Applicant (for AE, AL, AM, AT, AZ, BA, BE, BF, BG, BJ, BR, BY, CF, CG, CH, CI, CM, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, FR, GA, GE, GN, GR, GW, HR, HU, ID, IS, IT, JP, KG, KP, KR, KZ, LC, LR, LT, LU, LV, MA, MC, MD, MG, MK, ML, MR, MX, NE, NL, NO, PL, PT, RO, RU, SE, SI, SK, SN, TD, TG, TJ, TM, TR, UA, UZ, VN, YU only): **UNILEVER N.V. [NL/NL]**; Weena 455, NL-3013 AL Rotterdam (NL).

(71) Applicant (for AG, AU, BB, BZ, CA, CY, GB, GD, GH, GM, IE, IL, KE, LK, LS, MN, MW, MZ, NZ, SD, SG, SL, SZ, TT, TZ, UG, ZA, ZW only): **UNILEVER PLC [GB/GB]**; Unilever House, Blackfriars, London, Greater London EC4P 4BQ (GB).

(71) Applicant (for IN only): **HINDUSTAN LEVER LTD [IN/IN]**; Hindustan Lever House, 165-166 Backbay Reclamation, Mumbai 400 020 (IN).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **NARAYAN, Anantha, Subramony [IN/IN]**; 5B Agrasar, Hindustan Lever

Research Centre, I C T Link Road, Chakala, Andheri East, Mumbai 400 099, Maharashtra (IN). **PRAMANIK, Amitava [IN/IN]**; 6B, Agrasar, Hindustan Lever Research Centre, B.D. Sawant Marg, Andheri (East), Mumbai 400 099, Mumbai (IN). **SHINDE, Dattaram, Prashant [IN/IN]**; 160/4981 Kannamwar Nagar 1, Vikhroli (East), Mumbai 400 083, Maharashtra (IN).

(74) Agent: **SIKKEN, Antonius, H.**; Unilever, Patent Dept., Olivier van Noortlaan 120, NL-3133 AT Vlaardingen (NL).

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:

- with international search report
- before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments
- entirely in electronic form (except for this front page) and available upon request from the International Bureau

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: **GRANULATION PROCESS**

(57) Abstract: The invention concerns granulated, free flowing, edible salt composition comprising: i) 20 to 99.9 by weight sodium chloride; (ii) 0.1 to 80 % by weight potassium chloride; (iii) 0 to 10 % by weight of a water soluble chloride or sulphate salt of calcium or magnesium or a mixture thereof; (iv) 0 to 10 % by weight of a flavouring agent wherein the particle size of said alkali metal chlorides (i.e. NaCl and KCl) is less than 500? . and processes to make these products.

WO 02/13631 A1

GRANULATION PROCESS

Technical Field:

The present invention relates to a synergistically granulated,
5 free flowing edible salt composition having an equivalent
saltiness as common salt.

Background and Prior art:

Sodium Chloride or common salt is an ingredient generally used
10 in cooking (e.g. approximately 5 million tons is the annual
human consumption in India.) Salt is generally produced by
solar evaporation or multiple effect industrial evaporation of
sea water or sub soil brine or a combination of these two and
refined by the process of hydro milling. The process of hydro
15 milling consists of washing the raw salt with brine and milling
the same later. The washed salt is centrifuged and dried
generally in a fluid bed drier or vacuum drier to remove the
moisture and obtain pure salt. During the process of milling
and drying significant quantities of fine salt is formed which
20 is a low value material and is commonly treated as waste
material.

Due to various reasons it is preferred to reduce the intake of
sodium chloride This could be achieved by reducing the sodium
25 chloride content of common salt, however reducing this level in
common salt negatively affects the taste of a food product
wherein this common salt is applied In order to impart a proper
taste to the food, in spite of reducing the sodium chloride

content, other salts such as potassium chloride have been substituted partially in compositions. However, these compositions have a problem in that it is less salty accompanied by a bitter taste and that they are not free flowing. Incorporating other edible salts such as chlorides of calcium and magnesium only aggravates the problem, as the material becomes highly hygroscopic.

Iodine is one of the three most essential but normally deficient micro-nutrients and the easiest and most inexpensive method of delivery of the same through food was found to be iodization of common salt. Hence, iodization of salt often is a statutory requirement, which accounts e.g. for all edible salt manufactured in India. This requirement is mainly to control the iodine deficiency disorders. Salt is iodized by spraying potassium iodate solution on salt. The particle size of commercially available iodized salt is in the region of 500 microns and for crystal salt about 2 mm.

The commercially available common salt, although free flowing and refined, is made by a process during which large amounts of salt fines having particle size lower than 500 microns are formed, which fines so far are discarded, leading to wastage of material and relatively high cost of the salt.

25

We studied whether we could find ways to overcome this wastage of materials. As a results of this study we found that free flowing salt composition in granulated form can be produced

from salt fines having particle size of even less than 500 microns. It was further found that such granulated salt still has a saltiness equivalent to common salt.

5 As the fines produced during the refinement of salt in its production process can be employed in the production of the synergistic formulation of the present invention, the material which otherwise would be discarded as waste, can be converted into a suitable value-added material. The salt fines are rich
10 in iodine and hence meet the mandatory iodine level in the salt.

It is therefore the basic object of the present invention to provide synergistic, fortified, edible salt compositions having
15 an equivalent saltiness as common salt in a granulated free flowing form and a process for making the same.

Accordingly, the present invention provides a granulated, free flowing, edible salt composition comprising:

- 20 i. 20 to 99.9 by weight sodium chloride
ii. 0.1 to 80% by weight potassium chloride
iii. 0 to 10% by weight of a water soluble chloride or sulphate salt of calcium or magnesium or a mixture thereof
iv. 0 to 10% by weight of a flavouring agent
25 wherein the particle size of said alkali metal chlorides (i.e. NaCl and KCl) is less than 500 μ .

According to a preferred aspect, the present invention provides a granulated, free flowing, edible salt composition comprising sodium chloride and potassium chloride in a ratio of 100:1 to 1:4 and more preferably 10:1 to 1:1, wherein the particle size of the said alkali metal chlorides is less than 200μ and 0.5 to 5% by weight of a soluble chloride or sulphate salt of calcium or magnesium or a mixture thereof and optionally upto 10% by weight of a flavouring agent

10 It is also possible to incorporate flavours such as garlic, ginger, pepper or any other spice or herbal flavours during granulation and the stability and homogeneity of these flavours will be enhanced due to the granulated form of the product.

15 According to another aspect of the present invention the invention concerns a process of obtaining a granulated, free flowing, edible salt composition comprising:

- i. mixing 20 to 99.9% by weight of sodium chloride and 0.1 to 80% by weight of potassium chloride wherein the particle size of the alkali metal chlorides is less than 500μ , 0 to 10% by weight of a water soluble chloride or sulphate salt of calcium or magnesium or a mixture thereof and 0 to 10% by weight of a flavouring agent in a mixer;
- 20 ii. adding 5 to 15% water by weight of the total composition;
- iii. granulating the mass of step ii to size in the range of 500μ to $10,000\mu$.

According to a preferred aspect of the present invention there is provided a process of obtaining a granulated, free flowing, edible salt composition comprising:

- 5 i. mixing sodium chloride and potassium chloride in a ratio 100:1 to 1:4 and more preferably 10:1 to 1:1, wherein the particle size of the alkali metal chlorides is less than 200 μ , 0.5 to 5% by weight of a water soluble chloride or sulphate salt of calcium or magnesium or a mixture
- 10 thereof and 0 to 10% by weight of a flavouring agent in a mixer;
- ii. adding 5 to 15% water by weight
- iii. extruding the mass obtained in step (ii) to obtain noodles; and
- 15 iv. optionally subjecting the noodles to spherodisation and subsequent drying to bring the moisture to 1 to 7%.

Additionally, the salt produced according to the invention may be enriched further with a source of iodine selected from

20 iodate or iodide salt of sodium, potassium or calcium. The source of iodine when incorporated is preferably added to the step (i) during mixing.

In the above process the spherodiser consists of a static

25 cylindrical vessel with gas inlets to provide radial and axial mixing of the material and simultaneous drying with a rotating base plate that is flat or corrugated or checkered. When the plate is flat it is preferable to provide 2 to 6 numbers of

baffles forming an angle of at least 5 degrees with the base plate.

5 Detailed description of the invention:

The invention essentially comprises of processing a synergistic granulated, free flowing, edible salt comprising 20 to 99.9% by weight sodium chloride, 0.1 to 80% by weight potassium chloride and 0 to 10% by weight of a soluble chloride or sulphate salt
10 of calcium or magnesium or a mixture thereof, and 0 to 10% of a flavouring agent, wherein the particle size of said alkali metal chlorides is less than 500 μ

The chloride salt of the alkali metal refers to sodium or
15 potassium chloride, which preferably are present in a ratio of sodium salt to potassium salt in the range of 100:1 to 1:4 and preferably 10:1 to 1:1.

It is especially preferred to incorporate a soluble chloride or
20 sulphate salt of calcium or magnesium or a mixture thereof. It is particularly preferred to have these salts in a range from 0.5 to 5% by weight of the composition. It is more preferable to have the chloride salt of calcium or magnesium or a mixture of the two.

25

The mixing of the sodium chloride and potassium chloride wherein the particle size of the alkali metal chlorides is less than 500 μ is generally done in a mixer that ensures uniform mixing and that can have any or a combination of agitator

designs that include ribbon, sigma, plough share, helical, planetary or screw type mixer. Upto 10% by weight of a solution of water-soluble chloride or sulphate salt of calcium or magnesium or a mixture thereof is sprayed on to the mixture of the alkali metal chloride salts contained in the mixer. The flavouring agents are also incorporated preferably at this stage. The flavouring agent may be in the form of a powder or a liquid or a paste. The mixing is done at a temperature range of 5-50°C. The material is mixed for a period of 5 minutes to 120 minutes and preferably for 30-45 minutes to ensure homogeneity.

The water soluble chloride or sulphate salt of calcium or magnesium can be added as a powder along with the alkali metal salts and mixed in which case additionally 5-15% water is incorporated preferably using an atomiser to obtain a fine spray. Alternatively the soluble chloride or sulphate salt of calcium or magnesium can be dissolved in the 5-15% water and sprayed on to the alkali metal salt present in the mixer. Alternatively a combination of the two methods could be followed. It is preferable to continue mixing for a period of about 15 minutes after the water or the solution of the soluble salts is added.

The granulation of the mass can be done as a batch or continuous or semi-continuous process and is done using any suitable equipment known in the art which could be a pan granulator or drum granulator to obtain spherical particles in the size range 500 microns to 5,000 μ and preferably 1,000 to

3,000 μ . Alternately the salt mix could be extruded in a single or twin screw extruder or a die extruder with various configurations, to obtain noodles of 1,000 μ to 3,000 μ diameter and lengths of 500 to 5,000 μ and preferably 1,500 to 2,500 μ diameter and 1,500 to 3,000 μ length. It is particularly preferred to use a die granulator. When the granulation is achieved by extrusion and the extruded form is noodle shaped, it can be dried and packed as such. Optionally the dried noodles can be gently degranulated to an irregular shape with a size in the range of 8 to 60 mesh and preferably in the range of 16 to 30 mesh and packed. Alternately, it is preferred to subject the noodles to a process that ensures sufficient force, pressure and attrition on the noodles that cause it to round off to spheres. This could be done in an equipment that provides the above in any or a combination of mechanical or pneumatic methods. An alternate process that is also preferred includes taking the wet salt mix from the mixer and granulating it using a tableting method to a diameter of 2,000 to 10,000 μ , and preferably a diameter of 2,000 to 5,000 μ .

20

The moisture level of the granules made by any of the methods above is maintained between 1-7% and preferably 4-6% and if necessary an additional drying step is included. The drying is done in any dryer known such as tray dryer, rotary dryer, vacuum dryer or a fluid bed dryer (batch, continuous or semi-continuous). Alternately the product could be air dried, sun dried or a combination of the two. The material is optionally sieved to obtain uniformity of product. The oversized and

undersized particles could be further powdered and recycled with the feed. The granulated salt is suitable for selling either in packed form that may be in form of a polyethylene bag, paper pack, pet jars or any other suitable form or can be
5 sold loose.

The granulated salt according to the invention can also be blended with common salt with a particle size of more than 500 micron or with crystal salt with a size of about 2 mm. Suitable
10 weight ratios herefore are 0.1 to 99.9 to 99.9 to 0.1.

The invention is described in detail by the following non-limiting examples.

15 Examples:

Process for preparation of granulated salt:

Example 1:

2 kg of edible salt powder with less than 200μ size was taken in a planetary mixer. The salt was then mixed with the desired
20 amount of other metal salts like chloride of calcium and chloride of potassium in amounts equivalent to 1% and 10% of the mixture respectively. A part of the above mix (5%) was dissolved in water in an amount equivalent to 6% of the total mix. The above solution was added drop-wise to the salt mixture
25 with agitation for half an hour. The wet salt mix was extruded into noodles using a die extruder of $1,000\mu$ diameter. Some amount of dry mix of the above salts (amounting to 15% of the

total weight of the salts) was co-extruded with the wet mix to prevent sticking of the noodles.

The noodles were dried in a tray dryer at 90°C for three hours and packed. The product was found to have very good salty taste
5 and very good flow characteristics

Example 2:

Edible salt powder as in Example-1 was taken in a plough share mixer. The salt was then mixed with chloride of potassium used
10 at 15% in the mixture. A part of the above mix (1%) and half this amount of chloride of magnesium was dissolved in water to an amount equivalent to 15% of the salt mix. All of the salt mix prepared was taken in a pan granulator kept at an angle of 40 degrees from the horizontal and rotating at 20 rpm. The salt
15 solution prepared was sprayed on to the pan granulator using a hand held spray gun. The salt granules were formed in about 2 to 3 minutes. The pan was tilted and the material collected on to a tray. The tray was dried at 80°C in a tray dryer for up to 4 hours to get the granules of the desired quality. The
20 sample was sieved to the desired particle size (2-4 mm) and packed. Good taste and flow characteristics were observed with this sample prepared.

Evaluation of the salt:

25 i. Saltiness:

A food preparation such as cooked lentil was prepared using 0.8% of the granulated salt prepared by the process described in Example 1 and 2 and was compared with a similar preparation

using 0.8% commercially available salt or sodium chloride. A panel of trained members tasted the samples and evaluated the same for saltiness. The panel did not record any off taste and scored equally for both with regard to saltiness.

5

ii Flow properties:

The granulated salt was packed in a polyethylene bag under ambient condition (25°C) and stored for three months at that temperature and 75% humidity. The initial dynamic flow rate of the samples at the end of every month for three months was measured using a flow meter. This was compared with commercially available powder salt where the flow properties are improved using flow aids.

15 Table 1

Sample	Commercial salt initial sample without flow aid	Commercial salt initial sample with 0.4% precipitated silica as flow aid.	Salt according to the invention
	Dynamic flow rate (ml/sec)		
Initial Sample	105	160	180
Stored for 1 month	100	155	178
Stored for 2 month	90	150	175
Stored for 3 month	No flow	140	170

The data presented in Table 1 show that the granulated salt produced according the invention had excellent flow properties even in the absence of flow aids and had taste comparable to the commercially available salt. Thus the fines which actually form a waste material can be formed into an useful product.

20

CLAIMS

1. Granulated, free flowing, edible salt composition comprising:

- i 20 to 99.9 by weight sodium chloride
- ii 0.1 to 80% by weight potassium chloride
- iii 0 to 10% by weight of a water soluble chloride or sulphate salt of calcium or magnesium or a mixture thereof
- iv 0 to 10% by weight of a flavouring agent

wherein the particle size of said alkali metal chlorides (i.e. NaCl and KCl) is less than 500μ .

2. Granulated free flowing edible salt according to claim 1 comprising sodium chloride and potassium chloride in a weight ratio of 100:1 to 1:4, preferably 10:1 to 1:1

3. Granulated free flowing edible salt according to claim 1 to 2 wherein the particle size of the said alkali metal chlorides is less than 200μ

4. Granulated free flowing edible salt according to claims 1 to 3 comprising also 0.5 to 5% by weight of a water soluble chloride or sulphate salt of calcium or magnesium or a mixture thereof

5. Granulated free flowing edible salt according to claims 1 to 4 also comprising as flavour garlic, ginger, pepper or any other spice or herbal flavours

6 Granulated free flowing edible salt according to claims 1 to 5 which granulated salts have a moisture level of 1 to 7 wt %

7. Blends comprising common salt with a particle size of more than 500 micron and/or crystal salt with a size of about 2 mm and the granulated salt according to claims 1 to 6 in weight ratios of 0.1 to 99.9 to 99.9 to 0.1

8. Process of obtaining a granulated, free flowing, edible salt composition comprising:

- i mixing 20 to 99.9% by weight of sodium chloride and 0.1 to 80% by weight of potassium chloride wherein the particle size of the alkali metal chlorides is less than 500μ , 0 to 10% by weight of a water soluble chloride or sulphate salt of calcium or magnesium or a mixture thereof and 0 to 10% by weight of a flavouring agent in a mixer;
- ii adding 5 to 15% water by weight of the total composition;
- iii granulating the mass of step ii to size in the range of 500μ to $10,000\mu$.

9. Process of obtaining a granulated, free flowing, edible salt composition comprising:

- i mixing sodium chloride and potassium chloride in a ratio 100:1 to 1:4 and more preferably 10:1 to 1:1, wherein the particle size of the alkali metal chlorides is less than 200μ , 0.5 to 5% by weight of a water soluble chloride or sulphate salt of calcium or magnesium or a mixture thereof and 0 to 10% by weight of a flavouring agent in a mixer;
- ii adding 5 to 15% water by weight
- iii extruding the mass obtained in step (ii) to obtain noodles; and
- iv optionally subjecting the noodles to spherodisation and subsequent drying to bring the moisture to 1 to 7%.

INTERNATIONAL SEARCH REPORT

Internal application No
PCT/EP 01/07690

A. CLASSIFICATION OF SUBJECT MATTER
IPC 7 A23L1/237 A23P1/02 A23P1/06 A23P1/12

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 A23L A23P

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ, FSTA, BIOSIS

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 4 220 667 A (JAKINOVICH WILLIAM JR) 2 September 1980 (1980-09-02)	1-3,7
A	column 3, line 46 - line 62; claims 1,5,7,13-16,23,26; example IV ---	4-6
X	US 5 288 510 A (SINGH HAKAM ET AL) 22 February 1994 (1994-02-22)	1-3,6-9
A	column 3, line 41 -column 4, line 19; claims 1,6,14; table ---	4,5
X	EP 0 090 571 A (THIOLKOL MORTON INC) 5 October 1983 (1983-10-05) page 2, line 21 -page 3, line 15 page 4, line 20 -page 6, line 8 page 6, line 34 -page 7, line 33; claims 1-6; example 7; tables I,IV,XVII ---	1-7
	--- -/--	

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents:

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

- *T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- *G* document member of the same patent family

Date of the actual completion of the international search

24 January 2002

Date of mailing of the international search report

01/02/2002

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl.
Fax: (+31-70) 340-3016

Authorized officer

Vernier, F

INTERNATIONAL SEARCH REPORT

Internal Application No
PCT/EP 01/07690

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	FR 2 773 955 A (SANOFI SA) 30 July 1999 (1999-07-30) page 4, column 17 -page 6, column 34; claims 1-5,8-11 -----	1-9

BEST AVAILABLE COPY

INTERNATIONAL SEARCH REPORT

nation on patent family members

Interna Application No

PCT/EP 01/07690

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
US 4220667	A	02-09-1980	NONE	
US 5288510	A	22-02-1994	NONE	
EP 0090571	A	05-10-1983	AU 1072883 A	06-10-1983
			CA 1199518 A1	21-01-1986
			DK 140983 A	30-09-1983
			EP 0090571 A1	05-10-1983
			NO 831130 A	30-09-1983
FR 2773955	A	30-07-1999	FR 2773955 A1	30-07-1999
			AU 2060199 A	09-08-1999
			EP 1051086 A1	15-11-2000
			WO 9937170 A1	29-07-1999
			HU 0101002 A2	30-07-2001